

It is a professional fastener
manufacturing enterprise who researches
and develops goods, produces, warehouses,
sales, and serves by its own.

Fastening

HBAY 河北瑞业

Hebei Ruiye Fasteners Manufacturing Co., Ltd.

Fastening



Address: 50 or 5000th Ave, The Big World of Fasteners,
Tangshan Area, Hebei Province, China
Website: <http://www.hbby.com>
E-mail: hbby@hbby.com
Phone Number: 435-5555-888



扫一扫 查看更多

About Us

Hebei Ruiye Fasteners Manufacturing Co., Ltd.

河北瑞业紧固件制造有限公司位于中国标准件生产基地——河北省邯郸市永年区。公司地理位置优越，毗邻107国道和京珠高速公路，临近天津港和青岛港，海陆运区位优势明显。公司集研发、生产、仓储、销售、服务于一体，是一家专业的标准件生产企业。

Hebei Ruiye fasteners manufacturing Co., Ltd is located in Yongnian Industrial Zone, which is a fastener production base in China. Our company geographical position is superior, borders on 107 National highway and Beijing-Zhuhai highway, near Tianjin port and Qingdao port, so the traffic is very convenient. It is a professional fastener manufacturing enterprise who researches and develops goods, produces, warehouses, sales, and serves by its own.

公司占地6000平方米，员工人数180人。公司旗下主要产品有螺母、丝杠、带孔式膨胀螺丝、韩式膨胀螺丝、地板内膨胀壁虎、盒式壁虎、防滑鱼刺鱼翅壁虎、一片式鱼刺壁虎、三四片壁虎、车修壁虎等，公司产品和客户群覆盖布国内主要省市和韩国、东南亚、中东等国家。

Our company covers an area of eight thousand square meters, exists employees one hundred and eighty. We are a company who produces all kinds of fasteners, like nut, threaded rod, expansion bolt, foundation bolt, frame anchor, antiskid shark fin anchor, scale anchor, 3/4pcs shield anchor, wedge anchor ect. Our products are in great demand in such place, like South Korea, south-east Asia, Middle East countries ect.



C 企业文化

orporate culture

企业愿景

对客户建立一个合作共赢的价值链，对员工提供一个成就自我的理想平台，做中国值得信赖，值得尊敬的标准件企业。

Build a win-win value chain for customers, provide an ideal platform for employees to achieve their own achievements, and be a trustworthy and respectable standard parts enterprise in China.

企业宗旨

品质为行，诚信为重，管理为本，服务为诚。

Quality is the aim, integrity is important, management is based, service is sincere.

我们宣言

可以成功，可以失败，但不可以放弃。

You can succeed, you can fail, but you can't give up.





车修壁虎\Wedge Anchor.

型号\Size:


车修壁虎	
型号(Anchor Size)	Length Of Anchor
1/4"	40mm-100mm
5/16"	50mm-150mm
3/8"	60mm-200mm
1/2"	80mm-220mm
5/8"	100mm-300mm
3/4"	100mm-300mm
1"	120mm-300mm
M6	40mm-100mm
M8	50mm-150mm
M10	60mm-200mm
M12	80mm-220mm
M14	100mm-180mm
M16	100mm-300mm
M20	100mm-300mm
M24	120mm-300mm

颜色\Color: 蓝色\Blue-White, 黄色\Yellow Zinc Plated
材质\Material: Q235



Wedge Anchor.

Product Display



带孔膨胀\Pore Expansion Anchor.

型号\Size:

带孔膨胀	
型号(Anchor Size)	Length Of Anchor
M6	50mm-100mm
M8	50mm-150mm
M10	60mm-200mm
M12	60mm-200mm
M14	80mm-200mm
M16	100mm-300mm
M18	150mm-300mm
M20	100mm-300mm

颜色\Color: 蓝白\Blue-White、彩色\Yellow Zinc Plated
材质\Material: Q235

HBAY-07



窗式壁虎\Metal Frame Anchor.

型号\Size:

窗式壁虎	
型号(Anchor Size)	Length Of Anchor
M8	72mm-172mm
M10	52mm-202mm

材质\Material: Q235

HBAY-08



一片式鱼鳞壁虎
Sleeve Anchor Scale Type.

型号\Size:

鱼鳞壁虎
型号(Anchor Size)
M6
M8
M10
M12
M16

颜色\Color: 彩色\Yellow Zinc Plated ,
白色\White (带红塞\With Red Plug)
材质\Material: Q235



HBAY-09

Hebei Ruiye Fasteners
Manufacturing Co., Ltd.



鱼刺壁虎
Sleeve Anchor .(Wings Type.)

型号\Size:

鱼刺壁虎
型号(Anchor Size)
3/16" * 40
1/4" * 50
5/16" * 65
3/8" * 75
1/2" * 95
5/8" * 110
3/4" * 160

颜色\Color: 彩色\Yellow Zinc Plated
材质\Material: Q235



HBAY-10



韩式膨胀\Sleeve Anchor.

型号\Size:

韩式膨胀
型号(Anchor Size)
1/4"×50
5/16"×65
3/8"×75
1/2"×95

颜色Color: 彩色\Yellow Zinc Plated
材质\Material: Q235



Product Display

三、四片壁虎
Heavy Duty Shell Anchor.

型号\Size:

三、四片壁虎
型号(Anchor Size)
M6
M8
M10
M12
M16
M20

颜色Color: 彩色\Yellow Zinc Plated
材质\Material: Q235



剪式膨胀\Scissor expansion



安装锚栓固定参数 (企业标准Q/321183 YJS 011-2013):

锚栓规格 (mm)	打孔直径* 埋深 (mm)	不同基(砌)体的受力性能 (kg)					
		多孔粘土烧结砖基体上		加气混凝土砖基体上		混凝土基体上	
		拉力允许值	剪力允许值	拉力允许值	剪力允许值	拉力允许值	剪力允许值
M6X105	Φ12X80	110	250	85	120	150	280
M8X110	Φ16X85	210	380	130	185	256	410
M10X180	Φ18X150	280	420	170	310	310	480
M12X210	Φ20X170	350	570	210	430	380	670
M16X260	Φ25X210	390	800	450	580	500	800
M20X280	Φ32X220					850	1200

注: 1、上表数据是建立在混凝土基础的强度标准达到C20以上, 多孔粘土烧结砖基础的强度标准达到Mu20。
2、孔深约为所选产品总长的0.8倍, 或在平整与墙体之间预留要安装固定物体的厚度。
3、所有孔洞的外口应稍向上倾斜5-10度为佳。

膨胀栓\Expansion bolt



“码”上看参数

机械锚栓\Mechanical anchor



电梯膨胀\Bolt anchor



HBRY-15

热水器托勾\Expansion hooks



热镀锌螺栓\Hot galvanized bolts



HBRY-16

螺母\Hex Nut.

型号\Size: M3-M64

颜色\Color: 本色\Plain,

镀锌\Zinc Plated(Blue-White, Yellow)

材质\Material: Q235, 高强度\High Tensile



Hex Nut.

丝杠\Thread Rod

型号\Size:

丝杠	
型号(Anchor Size)	Length Of Anchor
M6	1m-6m
M8	
M10	
M12	
M14	
M16	

颜色\Color: 蓝色\Yellow Zinc Plated, 蓝白\Blue-White
材质\Material: Q235



Thread Rod



地板壁虎
Sleeve Anchor.(Hex Bolt Type.)

型号\Size:

地板壁虎	
型号(Anchor Size)	Length Of Anchor
M6	50mm-100mm
M8	50mm-150mm
M10	50mm-200mm
M12	60mm-200mm
M16	100mm-200mm

颜色Color: 彩色\Yellow Zinc Plated
材质\Material: Q235

Sleeve Anchor.



HBAY-21

Hebei Ruiye Fasteners
Manufacturing Co., Ltd.



做螺丝我们是认真
让锚固更安全

HBAY-22